

## Platform Trolley



Item	Model	Capacity	Platform Size	Platform Height	Caster Wheel	Overall Size	Net Weight
		KG	MM	MM	Φ MM	LxWxH(MM)	KG
①	TYL50A	500	1000x700	270	200	1140x700x1041	41.5
②	SYL50C	500	1200x800	270	200	1340x800x1041	48

## Table Trolley HL-CX series

Model		HL-CX30A	HL-CX30B
Capacity	KG	300	300
Shelf Size	MM	1000x700	1200x800
Lower Shelf Height	MM	320	320
Top Shelf Height	MM	960	960
Castor/Wheel	MM	Φ 200x45	Φ 200x45
Overall Size	MM	1100x700x980	1300x800x980
Net Weight	KG	62	72



## General Purpose Trolley HL-CX series

- Watertight type



Model		HL-CX25	HL-CX35A	HL-CX35B
Capacity	KG	250	350	350
Shelf Size	MM	900x500	900x500	900x500
Lower Shelf Height	MM	280	260	260
Top Shelf Height	MM	850	920	1110
Castor/Wheel	MM	Φ 125x34	Φ 160x39	Φ 160x39
The height between lower & second shelf	MM	-	300	400
The height between second & top shelf	MM	-	320	400
Overall Size	MM	1000x500x870	1000x500x940	1000x500x1130
Net Weight	KG	44	58	62

## Aluminum Platform Truck



HL-BF2436



HL-BF3060

Model	Capacity	Platform Size	Platform Height	Handle Height	Caster Wheel	Caster type	Net Weight
	KG	MM	MM	MM	MM		
HL-AF2436	900	610x915	236	910	D125x50	Poly	20
HL-AF2448	900	610x1220	236	910	D125x50	Poly	25.5
HL-AF3048	900	760x1220	236	910	D125x50	Poly	28
HL-AF3060	900	760x1520	236	910	D125x50	Poly	33
HL-AF3672	900	815x1830	236	910	D125x50	Poly	38.5
HL-BF2436	1350	610x915	260	940	D150x50	Poly	21
HL-BF2448	1350	610x1220	260	940	D150x50	Poly	26.5
HL-BF3048	1350	760x1220	260	940	D150x50	Poly	29
HL-BF3060	1100	760x1520	260	940	D150x50	Poly	34
HL-BF3672	1100	815x1830	260	940	D150x50	Poly	39.5
HL-CF2436	550	610x915	300	980	D200x50	Pneumatic	24
HL-CF2448	550	610x1220	300	980	D200x50	Pneumatic	29.5
HL-CF3048	550	760x1220	300	980	D200x50	Pneumatic	32
HL-CF3060	550	760x1520	300	980	D200x50	Pneumatic	37
HL-CF3672	550	815x1830	300	980	D200x50	Pneumatic	42.5

## Steel Platform Truck



Model	Capacity	Platform Size	Platform Height	Handle Height	Castor Wheel	Castor Type	Net Weight
	KG	MM	MM	MM	MM		
HL-YF2436	450	610x915	215	840	D125x50	Poly	30
HL-YF2448	450	610x1220	215	840	D125x50	Poly	35
HL-YF3048	450	760x1220	215	840	D125x50	Poly	40
HL-YF3060	450	760x1525	215	840	D125x50	Poly	45
HL-YF3672	450	915x1830	215	840	D125x50	Poly	56
HL-XF2436	900	610x915	240	865	D150x50	Poly	31.5
HL-XF2448	900	610x1220	240	865	D150x50	Poly	36.5
HL-XF3048	900	760x1220	240	865	D150x50	Poly	40.5
HL-XF3060	900	760x1525	240	865	D150x50	Poly	46.5
HL-XF3672	900	915x1830	240	865	D150x50	Poly	57.5
HL-ZF2436	540	610x915	280	905	D200x50	Rubber	39
HL-ZF2448	540	610x1220	280	905	D200x50	Rubber	44
HL-ZF3048	540	760x1220	280	905	D200x50	Rubber	48
HL-ZF3060	540	760x1525	280	905	D200x50	Rubber	54
HL-ZF3672	540	915x1830	280	905	D200x50	Rubber	65



## Platform Troll HL-TH series

- ▲ Built for long service-idea for office, school, factory, warehouse and in-store use.
- ▲ Anti-slip covered platform.
- ▲ Neat, buffer strip all round platform edge.
- ▲ Fold down handle with foot operated release bar.
- ▲ Positive locking in operational and folded mode.
- ▲ Fitted with 2 fixed and 2 swivel castors.



Model		HL-TH150	HL-TH300
Capacity	(kg)	150	300
Platform Size	(mm)	735x480	910x610
Castor/Wheel Dia.	(mm)	Φ100	Φ130
Overall Size	(mm)	735x475x820	910x610x870
Net Weight	(kg)	8.2	16.7

## Platform Trolley HL-TD series

- ▲ Heavy duty design for industrial applications.
- ▲ No marking rubber wheels and castors.



HL-TD1/150



HL-TD1/250 folded



HL-TD2/120



HL-TD3/120

Model		HL-TD1/150	HL-TD1/250	HL-TD2/120	HL-TD3/120
Capacity	(kg)	150	250	120	120
Platform Size	LxB (mm)	740x480	910x610	740x480	740x480
Handle Height	H (mm)	860	860	860	860
Castor / Wheel	Dia. x Width (mm)	Φ100x30	Φ125x35	Φ100x30	Φ100x30
Net Weight	(kg)	12.5	18.6	21	26.1

## Aluminum Platform Truck HL-NP Series

- ▲ Light weight aluminum deck.
- ▲ Wrap around corner bumper.



Model		HL-NP150	HL-NP250	HL-NP300	HL-NP350
Max. Capacity	(kg)	150	250	300	350
Platform	(mm)	750x470	900x610	1200x610	1520x750
Caster Wheel	Dia x width (mm)	Φ100	Φ127	Φ127	Φ127
Overall Size	(mm)	750x470x900	900x610x950	1200x610x950	1520x750x950
Net Weight	(kg)	9.0	14.2	15.5	25

## Plastic Platform Truck HL-PM Series

- ▲ Capacity 400kg, 1000kg, 1500kg for evenly distributed load.
- ▲ Less hassle than metal carts, will not rust, discolor or warp.
- ▲ Maintenance free and easy to clean.
- ▲ Honeycomb construction is reinforced for longer life.
- ▲ Extra square steel tube underneath of platform to reinforce the truck.
- ▲ Heavy duty castor wheel: Ø150x40mm, polyurethane.
- ▲ 400kg and 1000kg capacity truck have two rigid wheels, two swivel wheels.
- ▲ 1500kg have two rigid wheels, four swivel wheels.
- ▲ Removable steel handle.



HL-PM401



HL-PM1002

Model		HL-PM401	HL-PM402	HL-PM1001	HL-PM1002	HL-PM1501	HL-PM1502
Capacity	(kg)	400	400	1000	1000	1500	1500
No. of Handle		1	2	1	2	1	2
Platform Size	LxH (mm)	1510x750	1510x750	1510x750	1510x750	1510x750	1510x750
Platform Size	LxW (mm)	190	190	190	190	190	190
Handle Height	(mm)	965	965	965	965	965	965
Overall Dimensions	(mm)	1705x765x965	1780x765x965	1705x765x965	1780x765x965	1705x765x965	1780x765x965
Net Weight	(kg)	58	60	62	64	67	69

## Plastic Platform Truck HL-PC Series

- ▲ Structural foam plastic platform won't rust, chip or dent.
- ▲ Honeycomb reinforced underside for added strength and durability.
- ▲ Special non-marking silicone casters with built-in bearing, fit for using in silent surroundings.
- ▲ Non-skid surface helps prevent load shifting.
- ▲ Different handles are available.



HL-PC301A  
A-Foldable Handle



HL-PC301B  
B-Fixed Handle



HL-PC302C  
C-Two Fixed Handle



HL-PC302D  
D-Two Fixed Side Handle

Model		HL-PC201A	HL-PC201B	HL-PC202C	HL-PC301A	HL-PC301B	HL-PC302C	HL-PC302D
No. of Handle		1	1	2	1	1	2	2
Handle Type		A	B	C	A	B	C	D
Max. Capacity	(kg)	200	200	200	300	300	300	300
Platform Size	LxW (mm)	730x490	730x490	730x490	910x600	910x600	910x600	910x600
Platform Height	(mm)	170	170	170	220	220	220	220
Handle Height	(mm)	890	890	890	890	890	890	890
Castor	Dia. x Width (mm)	Φ100 x 30	Φ100 x 30	Φ100 x 30	Φ130 x 30	Φ130 x 30	Φ130 x 30	Φ130 x 30
Net Weight	(kg)	10	11	12.5	16	20	15	19

## Plastic Platform Trolley HL-PP Series

- ▲ No noise, no clatter-silent and hygienic. Tough one piece plastic deck/shelf.er and tools.
- ▲ Unique, polypropylene castor housing and cushion rubber wheels.
- ▲ Light weight.
- ▲ Easy to manoeuvre.
- ▲ Impact resistant deck/shelf with load retention studs.
- ▲ Smooth, quiet, easy roll castors, 2 fixed, 2 swivel.
- ▲ Chromed tubular handle and shelf supports.
- ▲ Trolley handle folds flat onto deck for ease of storage and transportation.
- ▲ Supplied flat packed for self-assembly.

Model		HL-PP1/200	HL-PP2/200
Capacity	(kg)	200	200
Platform Size	LxB (kg)	810x500	810x500
Handle Height	H (kg)	890	890
Castor	Dia. x Width (mm)	Φ120x35	Φ125x35
Net Weight	(kg)	13	18.5



HL-PP2/200



HL-PP1/200

## Triple Plastic Trolley HL-AK Series

- ▲ Won't rust, chip or dent.
- ▲ Honeycomb reinforced underside for added strength and durability.
- ▲ Three position handle let users push, pull, or fold flat as a dolly.
- ▲ Folds easily for transport & storage.
- ▲ Non-skid surface helps prevent load shifting.
- ▲ Two swivel and two rigid polyurethane casters



HL-AK250



HL-AK400  
Folded handle



HL-AK400

Model		HL-AK250	HL-AK400
Capacity	(kg/lbs)	250/114	400/182
Platform Size	(kg)	800x520x70	800x520x70
Handle Height	(mm)	660	800
Platform Height	(mm)	90	90
Caster Wheel	Dia.xWid (mm)	Φ75x26	Φ125x26
Overall Size	(mm)	1280x520x660	1280x520x800
G.W/ N.W	(kg)	10.5/8.8	11/9.5



## Plastic Platform Truck HL-UB/UD Series

- ▲ Latest design for industrial applications.
- ▲ Heavy duty plastic construction resists dents, chips and rust.
- ▲ Virtually Maintenance free.
- ▲ Built-in storage bin in handle, perfect way to store small parts.
- ▲ Sturdy and stable yet lightweight, makes for easy maneuverability.
- ▲ Round corners mean no sharp edges to nick wall or furniture.
- ▲ Large, silent, non-marking 5" casters.



**HL-UD252**  
Two Shelves



**HL-UD253**  
Three Shelves

Model		HL-UD252	HL-UB252	HL-UD253	HL-UB253
Type		Two Shelves		Three Shelves	
Max. Capacity	(kg/lbs)	250/550	250/550	250/550	250/550
No. of Handle		1	2	1	2
Platform Size	(mm)	790x435x110	950x650x110	790x435x110	950x650x110
Upper Platform Height	(mm)	850	850	850	850
Height between Two Floors	(mm)	500	500	500	500
Lower Platform Height	(mm)	150	150	150	150
Caster Wheel	Dia x width (mm)	Φ125x26	Φ125x26	Φ125x26	Φ125x26
Gross Weight	(kg)	16.3	17.3	27	28
Net Weight	(kg)	16	20.5	20.5	27.5

## Stainless Platform Trolley HL-ST Series

- ▲ A range of heavy duty, general purpose trolleys.
- ▲ All stainless steel construction.
- ▲ Choice of 2 or 3 shelves, 14 gauge stainless steel, welded in position.
- ▲ Finish: grade 304 stainless steel.



**ST2/100**



**ST3/100**



**HL-ST3/100A**

Model		HL-ST2/120	HL-ST3/100	HL-ST3/100A
Capacity	(kg)	100	100	100
No. of Handle		1	2	1
Platform Size	LxB (mm)	610x410	610x410	610x410
Handle Height	H (mm)	900	900	840
Castor	Dia x width (mm)	Φ100 x 30	Φ100 x 30	Φ100 x 30 (2 castors with brake)
Net Weight	(kg)	6.85	8.45	12

## Aluminum Hand Truck HL-GL Series

- ▲ Modular components are bolted on to make repairs easier, reducing downtime.
- ▲ Corrosion-resistant aluminum is lightweight to reduce operator fatigue enough to handle heavy loads up to 660lbs.



Model		HL-GL300A	HL-GL300B
Capacity	(kg/lbs)	300/660	300/660
Nose Plate	LxW (kg)	355x190	355x190
Wheel Diameter	(mm)	semi-pneumatic, 250mm/10"	semi-pneumatic, 250mm/10"
Overall Size	(mm)	420x510x1260	420x510x1330
Net Weight	(kg)	12.2	12.2

## Aluminum Platform Truck HL-AP/BP Series

- ▲ Light, easy to transport and store.
- ▲ Aluminium construction with telescopic fold-down handle.
- ▲ PVC corner edging.
- ▲ 2 swivel castors and 2 fixed castors.



HL-AP150



HL-BP150

Model		HL-AP150	HL-BP150
Capacity	(kg)	150	150
Platform Size	(kg)	500x420	500x420
Platform Extended	(kg)	710x420	710x420
Castor	Dia. x Wid (mm)	Φ100	Φ100
Packing Size	(mm)	540x240x430	540x240x430
Overall Size	(mm)	710x420x950	710x420x955
Net Weight	(kg)	7.3	7.9

## Folding Truck HL-AT90

- ▲ Modular components are bolted on to make repairs easier, reducing downtime.
- ▲ Corrosion-resistant aluminum and magnesium is light weight to reduce operator fatigue.
- ▲ A lightweight folding hand truck with the strength.
- ▲ To stores easily and conveniently in truck of a car.

Model		HL-AT90
Capacity	(kg)	90
Foot Plate Size	(mm)	350x410
Castor	Dia.xWid (mm)	Φ150
Overall Size Folded	(mm)	200x400x750
Overall Size Extened	(mm)	410x400x1100
Net Weight	(kg)	6



## Transport Trolley HL-TR100

- ▲ Strong aluminum tubular frame cart is light weight, yet handles heavy loads.
- ▲ Comfort-grip telescopic handle and simple push button operation retracts wheels and folds noseplate automatically in seconds.
- ▲ Flat folding hand cart offers the carrying capacity of a large hand truck, but folds thinner than most luggage carts.

Model		HL-TR100
Capacity	(kg)	100
Foot Plate Size	(mm)	486x280
Handle Height	(mm)	1080
Wheel Diameter	(mm)	Φ175
Overall Size Folded	(mm)	490x60x820
Overall Size Extened	(mm)	490x450x1080
Net Weight	(kg)	5



## Convertible Hand Truck

- ▲ Quickly convert from a 2-wheels upright to a 4-wheel platform truck with a single step on the foot pedal.
- ▲ Polished, low-friction noseplate surface is easy to load and unload.
- ▲ Uses: Excellent for shipping mall, warehouse, and parcel deliveries.



HL-AM300

HL-TM300

Model	HL-AM300		HL-TM300		
	Hand Truck	Platform Truck	Hand Truck	Platform Truck	
Capacity	(kg)	200	300	200	300
Handle Height	H (mm)	1310	1030	1555	1150
Platform Size	LxW (mm)	860	1086x306	860	1435x306
Overall Size	(mm)	520x470x1310	520x1190x1030	520x470x1555	520x1450x1150
Foot Plate Size	(mm)	185x456	185x456	185x456	185x456
Rubber Swivel Castor	(mm)	Φ125	Φ125	Φ125	Φ125
Pneumatic Wheel	(mm)	Φ260	Φ260	Φ260	Φ260
Net Weight	(kg)	17	17	19	19



# Professional Hand Truck

Heavy duty design with high quality ball bearing.



Option:Extension Nose  
Model:NS10  
LxW: 25"x11", Capacity:200lbs



Handle Type	Model	Capacity lbs	Overall		Noseplate Deep×Width inch	Wheels		Tubular Stair Climber	Net Weight lbs
			Height inch	Width inch		Type	Dia.×W inch		

**A. Flow Back Handle**



Model	Capacity	Overall Height	Overall Width	Noseplate	Wheels	Tubular Stair Climber	Net Weight
A650-1	650	49	19.5	8×14	1 10×2.5	Yes	33
A550-2	550	49	21.1	8×14	2 10×3.5	Yes	32.1
A550-3	550	49	21.1	8×14	3 10×3.5	Yes	30.8
A500-4	800	49	19.5	8×14	4 10×2.5	Yes	35.2
A500-5	500	49	19	8×14	5 8×2	Yes	33

**B. Dual Handle**



Model	Capacity	Overall Height	Overall Width	Noseplate	Wheels	Tubular Stair Climber	Net Weight
B650-1	650	48.5	19.5	8×14	1 10×2.5	Yes	35
B550-2	550	48.5	21.1	8×14	2 10×3.5	Yes	35.2
B550-3	550	48.5	21.1	8×14	3 10×3.5	Yes	33
B500-4	800	48.5	19.5	8×14	4 10×2.5	Yes	34.8
B500-5	500	48.5	19	8×14	5 8×2	Yes	32.5

**C. Dual Pin Handle**



Model	Capacity	Overall Height	Overall Width	Noseplate	Wheels	Tubular Stair Climber	Net Weight
C650-1	650	50.5	19.5	8×14	1 10×2.5	Yes	35.2
C550-2	550	50.5	21.1	8×14	2 10×3.5	Yes	37.4
C550-3	550	50.5	21.1	8×14	3 10×3.5	Yes	35.2
C500-4	800	50.5	19.5	8×14	4 10×2.5	Yes	34.3
C500-5	500	50.5	19	8×14	5 8×2	Yes	33

**D. Loop Handle**



Model	Capacity	Overall Height	Overall Width	Noseplate	Wheels	Tubular Stair Climber	Net Weight
D650-1	650	50.5	19.5	8×14	1 10×2.5	Yes	32.5
D550-2	550	50.5	21.1	8×14	2 10×3.5	Yes	33.8
D550-3	550	50.5	21.1	8×14	3 10×3.5	Yes	32.5
D500-4	800	50.5	19.5	8×14	4 10×2.5	Yes	37
D500-5	500	50.5	19	8×14	5 8×2	Yes	34.7

**E. Pin Handle**



Model	Capacity	Overall Height	Overall Width	Noseplate	Wheels	Tubular Stair Climber	Net Weight
E650-1	650	45.5	19.5	8×14	1 10×2.5	Yes	32.5
E550-2	550	45.5	21.1	8×14	2 10×3.5	Yes	35.2
E550-3	550	45.5	21.1	8×14	3 10×3.5	Yes	33
E500-4	800	45.5	19.5	8×14	4 10×2.5	Yes	34.7
E500-5	500	45.5	19	8×14	5 8×2	Yes	32.5

# Professional Hand Truck

Heavy duty design with high quality ball bearing.

- Handy tubular steel trucks with steel sheet blades, sturdy welded construction, Powdercoated, Safety grips, optionally solid rubber or pneumatic tyres on synthetic rims, hubs with rollerbearings.
- Blue RAL5007.



HT1110L



HT1125L



HT1115L



HT1116L



HT1215L



HT1216L



HT1325L



HT1326L



HT1330L



HT1331L



HT-S1325



HT4Y

## Standard specifications:

Model	Capacity kg	Height mm	Blade length mm	Blade Width mm	Toatal Width mm	Solid-rubber tyres inch	Pneumatic tyres mm	Net weight kg
HT1110	200	1100	220	320	480	10x2.5		14
HT1110L	200	1100	220	320	480		260x85	11.2
HT1125	200	1150	250	320	570	10x2.5		14
HT1125L	200	1150	250	320	570		260x85	11.2
HT1115	250	1150	150	400	620	10x2.5		14.5
HT1115L	250	1150	150	400	620		260x85	12.5
HT1116	250	1150	300	480	620	10x2.5		17.5
HT1116L	250	1150	300	480	620		260x85	15.5
HT1215	350	1200	150	450	620	10x2.5		19
HT1215L	350	1200	150	450	620		260x85	16
HT1216	350	1200	300	480	620	10x2.5		21
HT1216L	350	1200	300	480	620		260x85	18
HT1325	300	1300	250	320	580	10x2.5		17
HT1325L	300	1300	250	320	580		260x85	14
HT1326	300	1300	300	480	580	10x2.5		19
HT1326L	300	1300	300	480	580		260x85	16
HT1330	300	1300	250	320	580	10x2.5		18
HT1330L	300	1300	250	320	580		260x85	15
HT1331	300	1300	300	480	580	10x2.5		20
HT1331L	300	1300	300	480	580		260x85	17
HT-S 1325	200	1300	250	320	590	160x40mm		21
HT-S 1326	200	1300	300	480	590	160x40mm		23
HT4Y	350	975	125	420	480	200x50(A/um)		17